


**PaxVax**

[REDACTED]  
Assistant Director  
Monitoring Section | Regulatory Practice and Compliance Branch  
Office of the Gene Technology Regulator  
Department of Health and Ageing  
15 National Circuit  
Barton ACT 2600  
Australia



April 7, 2015

RE: DIR 126 PXVX0200 Cholera Vaccine  
**Confirmation of Vaccine Disposal  
Annual Report**

Dear [REDACTED]

Further to the conditions of the DIR 126 license issued on April 10, 2014 for PaxVax's PXVX0200 cholera vaccine, we wish to provide the following information.

Condition 41, Vaccine Disposal: We confirm that all PXVX0200 vaccine located in Australia has now been disposed of according to the DIR 126 license conditions. No further Australian clinical trials with this vaccine are planned at this time.

Condition 50, Annual Report: The total number of trial participants inoculated with the PXVX0200 vaccine during the previous 12 months (Study PXVX-VC-200-004) was 373, and there were no serious or significant adverse events linked to exposure to PXVX0200.

Should you or your staff have any questions regarding this submission or require additional information, please contact me via phone at [REDACTED] or [REDACTED] or via email at [REDACTED].

Sincerely,

[REDACTED]

[REDACTED]  
[REDACTED] Regulatory and Pharmacovigilance  
PaxVax, Inc.

Cc: [REDACTED]

900 Veterans Blvd., Suite #500; Redwood City, CA 94063  
P: (650) 847-1075 F: (650) 720-4585 paxvax.com